

A range to review. A brief to build.

156 published models / 8 categories



Company-supplied sample photograph. Packaging shown is a reference.

September 2026 edition

Product images and published specifications for B2B selection. Confirm the exact version, sample, quantity and destination-market documents before ordering. Not a quotation or compliance certificate.

Category index

Click a category to open its first model, or use PDF bookmarks to find a model number. Products are grouped by category, with one printable page per model. Save or print only the pages your buying team needs.

Mini & Wearable Vibes	46 models p. 3
----------------------------------	------------------

Suction & Air Pulse	21 models p. 49
--------------------------------	-------------------

G-Spot, Rabbit & Wands	33 models p. 70
-----------------------------------	-------------------

Realistic Silicone Massagers	23 models p. 103
-------------------------------------	--------------------

Male Strokers	14 models p. 126
----------------------	--------------------

Anal & Prostate	11 models p. 140
----------------------------	--------------------

Rings & Intimate Accessories	6 models p. 151
---	-------------------

Personal Care & Grooming	2 models p. 157
-------------------------------------	-------------------

Your Shenzhen sourcing contact

Shenzhen Kyaure Electronic Technology Co., Ltd.. Shenzhen-based B2B sourcing contact.

Sample availability, minimum quantities, customization, lead times and commercial terms are confirmed in a written quotation for your selected models.

B801

Daisy Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	81.4 × 51.4 × 41.6 mm; 31.2 × 31.2 mm
Weight	Body: 78 g; attachment: 3.7 g
Waterproof	IPX7
Runtime	80 min
Charging	60 min
Controls	10 tapping speeds; 10 suction levels with the attachment.

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B802

Baby Pig Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	32.9 × 51.8 mm
Weight	34.7 g
Waterproof	IPX7
Battery	150mAh
Runtime	50 min at high speed 80 min at low speed
Charging	70 min
Motor	N10
Modes	3 speed + 7 frequency

B803

Rabbit Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	29.9 × 50.6 mm
Weight	43.9 g
Waterproof	IPX7
Battery	150mAh
Runtime	50 min at high speed 80 min at low speed
Charging	70 min
Motor	N10
Modes	3 speed + 7 frequency

B804

Butterfly Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	52.6 × 58.7mm
Weight	41.6g
Waterproof	IPX7
Battery	150mAh
Runtime	50 min at high speed 80 min at low speed
Charging	70 min
Motor	N10
Modes	3 speed + 7 frequency

B805

Waterdrop Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	40.5 × 36.5 × 77 mm
Weight	65g (without USB charging cable)
Waterproof	IPX7
Battery	240mAh 751525
Runtime	high speed (80-90 min); Low speed (100-120 min)
Charging	about 80 min
Motor	N20 tungsten steel R5.5 × 3.5
Modes	3 gear speed + 5 frequency change
Controls	Press for 3 seconds to turn on/off; Short press for frequency conversion
Frequency	10000 RPM

B806

Sweet Bean Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	71 × 48 × 43mm
Weight	60g (without USB)
Waterproof	IPX7
Maximum noise	≤ 50 dB
Runtime	60 min (High Speed); 100 min (Low Speed)
Charging	90 min
Modes	3 speeds + 4 modes
Controls	Long press 3 seconds, ON/OFF, short press switch different mode.
Frequency	11000 RPM

B807

Teardrop Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	body 65 × 36mm; Tail (L)90mm
Weight	61.5g (without USB)
Waterproof	IPX7
Maximum noise	≤ 50 dB
Runtime	50 min (High Speed); 100 min (Low Speed)
Modes	3 speeds + 4 modes
Frequency	11000 RPM

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B808

Classic Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	65 × 35mm & 90mm
Weight	60.9g (without USB)
Waterproof	IPX7
Maximum noise	≤ 50 dB
Runtime	50 min (High Speed); 100 min (Low Speed)
Charging	80 min
Modes	3 speeds + 5 modes
Controls	Long press 3 seconds, ON/OFF, short press switch different mode.
Frequency	11000 RPM

B809

Pocket Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	42 × 36 × 76mm
Weight	64g (without USB charging cable)
Waterproof	IPX7
Battery	250mAh 701530
Runtime	high speed (80-90 min); Low speed (100-120 min)
Charging	about 120 min
Motor	N20 tungsten steel R5.5 × 3.5
Modes	3 gear speed + 5 frequency change
Controls	Press for 3 seconds to turn on/off; Short press for frequency conversion
Frequency	10000 RPM

B810

Pocket Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	70.4 × 41.4 × 66.5mm
Weight	99.4g (without USB charging cable)
Waterproof	IPX7
Battery	240mAh 751525
Runtime	high speed (80-90 min) Low speed (100-120 min)
Charging	about 80 min
Motor	N20 tungsten steel R5.5 × 3.5
Modes	10 gear speed
Controls	Press for 3 seconds to turn on/off; Short press for frequency conversion
Frequency	10000 RPM

B811

Rounded Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	95 × 19mm
Weight	36g (excluding USB charging cable)
Waterproof	IPX7
Maximum noise	< 55 dB
Battery	200mAh
Runtime	High speed 60 min, Low speed 90 min
Charging	60 min
Modes	3 speeds + 7 modes
Controls	Pin-type charging
Frequency	8000 RPM

B812

Slim Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	95 × 19mm
Weight	36.5g (without USB)
Waterproof	IPX7
Maximum noise	< 55 dB
Battery	200mAh
Modes	3 speeds + 7 vibration modes
Controls	Pin-type charging
Frequency	8000 RPM

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Version reconciliation is required for runtime and charging: supplied documents conflict. Confirm these details for the current sample before ordering.

B813

Soft Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	99 × 20mm
Weight	40g (excluding USB charging cable)
Waterproof	IPX7
Battery	200mAh
Runtime	High speed 60 min, Low speed 90 min
Charging	60 min
Modes	3 speeds + 10 modes
Controls	Pin-type charging
Frequency	8000 RPM

B814

Travel Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	117.4 × 22mm
Weight	46.5g (excluding USB charging cable)
Waterproof	IPX7
Battery	200mAh
Runtime	High speed 60 min, Low speed 90 min
Charging	60 min
Modes	3 speeds + 7 modes
Controls	Pin-type charging
Frequency	8000 RPMB

B815

Rounded Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	88.5mm × 32.4mm
Weight	59g (excluding USB charging cable)
Waterproof	IPX7
Battery	250mAh
Runtime	High speed (60 min) Low speed (100 min)
Charging	90 min
Motor	N20
Modes	3 speed settings + 5 speed variations
Controls	Long press for on/off; Short press for frequency adjustment
Frequency	11,000 RPM

B816

Fairy Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	135 × 48 × 25mm
Weight	52g (excluding USB charging cable)
Waterproof	IPX7
Runtime	High speed (35 min) Low speed (210 min)
Modes	3 speed settings + 7 variable speeds
Frequency	6000 RPM

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B818

Compact Dual-Point Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	159.8 × 32mm
Weight	140g (without USB)
Waterproof	IPX7
Maximum noise	< 50 dB
Battery	400mAh
Runtime	60 min(High speed) ; 100 min (low Speed)
Charging	120 min
Modes	3 speeds + 5 modes
Controls	Need to press two buttons for 2 seconds at the same time turn ON/OFF; Two Button independent control each motor; long Press switch to continuously speeds, click to pause

B819

Soft-Touch Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	149.7 × 40mm
Weight	78g (without USB cable)
Waterproof	IPX7
Battery	300mAh
Runtime	high speed 60 min, low speed 90 min
Charging	60 min
Modes	3 speeds + 5 modes
Controls	Pin charging
Frequency	8000 RPM

B820

Beauty Egg Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	54.74 × 42.5mm
Weight	59.6g (without USB)
Waterproof	IPX7
Maximum noise	< 55 dB
Runtime	60-100 min
Charging	60 min
Motor	N20
Modes	3speeds + 7 vibration modes

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B822

Penguin Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	44.7mm × 190.8mm
Weight	305g
Waterproof	IPX7
Battery	1200mAh
Runtime	110 min
Motor	150 Pull the trigger, N20
Modes	Vibration 5speed + 5 Sucking

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B823

Spinning Top Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	66.7 × 56.8mm
Weight	60g
Waterproof	IPX7
Battery	200mAh
Runtime	High speed 50 min, Low speed 90 min
Charging	90 min
Motor	N10
Modes	3 speed settings + 7 variable speed changes
Controls	Press for 2 seconds to turn on/off; short press for frequency adjustment

B824

Triple-Point Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	75.3 × 64.9mm
Weight	93g
Waterproof	IPX7
Battery	200mAh
Runtime	High speed 50 min, low speed 90 min
Charging	90 min
Motor	N30
Modes	3 speed settings + 7 variable speed changes
Controls	Press for 2 seconds to turn on/off; short press for frequency adjustment

B825

Fox Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	44.2 × 80.9mm mm
Weight	46.3g
Waterproof	IPX7
Battery	150mAh
Runtime	50 min at high speed 80 min at low speed
Charging	70 min
Motor	N10
Modes	3 speed + 7 frequency

B826

Egg Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	116.5 × 37mm
Weight	91 g(without USB)
Waterproof	IPX7
Maximum noise	< 50 dB
Runtime	60 min(High speed) ; 100 min(low Speed)
Charging	120 min
Modes	3 speeds + 5 modes
Controls	Quickly press 3 times, then motor shocking to ON/OFF; Long press, running from low to high speed, short press NO/Off
Frequency	8000 RPM

B827

Compact Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	79.2 × 42.2 × 54.7mm
Weight	85g (without USB charging cable)
Waterproof	IPX7
Battery	240mAh 751525
Runtime	high speed (80-90 min); Low speed (100-120 min)
Charging	about 80 min
Motor	N20 tungsten steel R5.5 × 3.5
Modes	3 speed + 6 frequency change
Controls	Plug-in charging.Press for 2 seconds to turn on/off: Short press for frequency conversion
Frequency	10000 RPM

B839

Color Accent Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	126.5 × 54 × 31.5mm
Weight	59.6g (without USB)
Waterproof	IPX7
Maximum noise	< 60 dB
Battery	701230 (230mAh)
Runtime	50-100 min
Charging	90 min
Modes	3 speed + 7 frequency variable

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B840

Lotus Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	126.5 × 54 × 31.5mm
Weight	58.3g (without USB)
Waterproof	IPX7
Maximum noise	< 60 dB
Battery	701230 (230mAh)
Runtime	50-100 min
Charging	90 min
Modes	3 speed + 7 frequency variable

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B845

Rocket Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	109.6 × 40.4mm
Weight	47.5g (without USB)
Waterproof	IPX7
Maximum noise	< 55 dB
Battery	200mAh
Runtime	70-90 min
Charging	60 min
Modes	3 speeds + 7 vibration modes
Controls	one motor
Frequency	8000 RPM

B851

APP-Control Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Full silicone + ABS
Size	110 × 76 × 38mm
Battery	300mAh
Runtime	approx. 60 min
Charging	magnetic USB, approx. 1h
Function	APP control + vibration

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B852

Targeted Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Silicone
Color	rose red / purple
Function	targeted vibration
Set	optional accessory set

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B853

Strawberry Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Silicone + ABS
Size	42 × 116mm
Color	pink / black
Maximum noise	< 60 dB
Charging	USB charging
Function	10 vibration modes

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B856

Gourd Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	ABS + silicone
Size	45 × 80 × 112.5mm
Color	rose gold / silver plated
Maximum noise	< 85 dB
Charging	USB recharge
Function	10 vibration modes

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B859

Dual-Texture Mini Vibe



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	194.5 × 35.2mm
Weight	230 g (without USB)
Waterproof	IPX7
Maximum noise	< 50 dB
Battery	500mAh
Runtime	50 min (High Speed); 120 min (Low Speed)
Motor	130
Modes	3 speeds + 6 vibration modes
Controls	Press 2 seconds power button, ON/OFF ; Short press function button, to switch different Modes

B860

Hongying Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	228.4 × 32.3mm
Weight	91.7g
Waterproof	IPX5
Battery	300mAh 602030
Runtime	55 min
Charging	100 min
Modes	Double motor vibration, 3 speed + 7 frequency

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B881

Dual-Ball Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	213.3 × 32mm
Weight	132g (without USB)
Waterproof	IPX7
Maximum noise	< 60 dB
Runtime	60-70 min
Charging	50 min
Modes	3 speed + 7 frequency variable

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B895

Mango Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + solid silicone + ABS
Size	405 × 52 × 40mm
Weight	170g
Color	yellow
Waterproof	IPX5
Charging	Type-C, 80 ± 5 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B933

Bear Mini Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	43 × 43 × 112 base diameter 30 mm
Weight	70.4g
Controls	USB rechargeable, 10 vibration patterns

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 115 × 55 × 50 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B934

H-Shape Wearable Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	90 × 25 × 90 mm
Weight	63g
Controls	Wireless remote, multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 105 × 90 × 42 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B935

DouDong Wearable Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	120 × 91 mm
Weight	77g
Controls	Wireless remote, multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 127 × 105 × 42 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B936

F-Shape Wearable Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	120 × 90(insertable 90) mm
Weight	76g
Controls	Wireless remote, multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 125 × 42 × 110 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B946

Remote Cat-Cord Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	TPE + ABS
Size	main unit 80 × 30 remote 50 × 50 mm
Weight	63.9g
Controls	Wireless remote, multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 100 × 42 × 77 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B947

Cat-Cord Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	TPE + ABS
Size	main unit 80 × 30 remote 50 × 50 mm
Weight	43g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 100 × 42 × 77 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B948

Flame Lips Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	80 × 70 mm
Weight	159g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 80 × 80 × 90 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B949

Wearable Mini Vibe I



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	90 × 35 mm
Weight	41g
Controls	Wireless remote, multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 107 × 65 × 32 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B951

Chick Multi-Head Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	main unit 95 × 40 oval egg 55 × 25 pointed egg 60 × 15 mm
Weight	60g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 100 × 42 × 77 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B959

Whale Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	33 × 85 × 54 mm
Weight	45g
Controls	Mini-program control, 10 vibration patterns
Runtime	More than 60 min
Charging	70 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 60 × 40 × 90 mm
280 units/carton (not MOQ)
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B835

Duck Suction Massager



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	108.1 × 63.3 × 91.9mm
Weight	167g
Waterproof	IPX7
Battery	240mAh
Runtime	80 min at high speed, 100 min at low speed
Charging	60 min
Modes	10 frequency addition + 10 frequency vibration
Controls	Long press 2 seconds, ON/OFF, short press switch different mode.

B836

Ice Cream Suction Massager



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	107.7 × 45.8mm
Weight	133g (excluding USB charging cable)
Waterproof	IPX7
Battery	200mAh
Runtime	High speed 60 min, Low speed 80 min
Charging	60 min
Modes	3 speeds + 7 modes
Controls	Pin-type charging
Frequency	8000 RPM

B837

Seashell Suction Massager



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	102.5 × 48 × 52mm
Weight	117.2g (without USB)
Waterproof	IP67
Maximum noise	< 60 dB
Battery	751525 (240mAh)
Runtime	70-90 min
Charging	90 min
Modes	10 tapping speeds; 10 suction levels with the attachment.
Controls	Long press 2 seconds, ON/OFF, short press switch different mode.

B838

Palm Suction Massager



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	54.3 × 85.9 mm
Weight	107.2g
Waterproof	IPX7
Battery	751525 240mAh
Runtime	90 min at high speed, 110 min at low speed
Charging	60 min
Modes	10speed sucking
Controls	Long press 2 seconds, ON/OFF, short press switch different mode.

B843

Lotus Suction Massager



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	90.2 × 39.4mm
Weight	50g(without USB)
Waterproof	IPX7
Maximum noise	≤ 50 dB
Battery	400mAh
Runtime	60 min (High Speed); 100 min (Low Speed)
Charging	1 h
Motor	N20
Modes	3 speeds + 5 modes
Frequency	8000 RPM

B844

Curved Air Pulse Massager



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	118 × 21.7mm
Weight	50.7g (without USB)
Waterproof	IPX7
Maximum noise	< 55 dB
Battery	200mAh
Runtime	70-90 min
Charging	60 min
Modes	3speeds + 5 vibration modes
Controls	one motor
Frequency	8000 RPM

B855

Swan Suction Massager



Source catalog image

PUBLISHED SPECIFICATIONS

Material	ABS + silicone
Size	50.5 × 48 × 91mm
Color	white / black / rose / purple
Maximum noise	< 85 dB
Charging	USB recharge
Function	8-speed suction mode

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging


Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B857

Kiss Suction Massager



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	161.8 × 94.4 × 41.6mm
Weight	226g (excluding USB charging cable)
Battery	600mAh
Runtime	High speed (40 min) Low speed (60 min)

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Waterproof rating, modes and charging time require version reconciliation: supplied documents conflict. Confirm these details for the current sample before ordering.

B864

Comma Air Pulse Massager



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	81.43 × 51.55mm
Weight	75g (excluding USB charging cable)
Waterproof	IPX6
Battery	240mAh
Runtime	High speed 60 min, Low speed 90 min
Charging	120 min; Magnetic charging
Motor	130
Modes	3 speed settings + 7 frequency variations (sucking)
Frequency	6000 RPM

B865

Flower Suction Massager



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	118 × 42 × 13mm
Weight	55g
Waterproof	IPX6
Maximum noise	< 55 dB
Battery	240mAh
Runtime	Approximately 65 min
Charging	90 min
Controls	5 suction frequencies; Press for 1.5 seconds to turn on/off; short press for frequency adjustment

B866

Moon Suction Massager



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	159.1 × 55.5 × 40.5mm
Weight	129g (excluding USB charging cable)
Waterproof	IPX6
Battery	300mAh
Runtime	High speed 60 min Low speed 100 min
Charging	120 min
Motor	Vibration N20; Suction 050
Modes	10 suction modes + 10 vibration modes, 2 working motors
Controls	Two switches control vibration and suction, press for 2 seconds to turn on/off
Frequency	9000 RPM; 5500 RPM

B867

Ocean Suction Massager



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check


Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	205.9 × 48.7 × 30.3mm
Weight	151.5g (excluding USB charging cable)
Waterproof	IPX6
Battery	300mAh
Runtime	High speed 60 min Low speed 100 min
Charging	120 min
Motor	Vibration N20; Suction 050
Modes	10 suction modes + 10 vibration modes, 2 working motors
Controls	Two switches control vibration and suction, press for 2 seconds to turn on/off
Frequency	9000 RPM; 5500 RPM

B868

Peony Suction Massager



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + plastic
Size	185.9 × 40.4 mm
Weight	172 g (excluding USB charging cable)
Waterproof	IPX7
Battery	350mAh
Runtime	60 min at high speed, 120 min at low speed
Charging	120 min
Motor	030
Modes	3 speeds + 4 modes
Controls	Press for 2 seconds to turn on/off, short press to switch between different vibration modes
Frequency	7000 RPM

B878

Compact Dual-Point Massager



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	175.5 × 42.6mm
Weight	218.4g
Waterproof	IPX7
Runtime	high speed 40 min
Charging	3 h

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B879

Mini Dual-Point Massager



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	214.9 × 47.6 mm
Weight	305.5 g
Waterproof	IPX7
Battery	1100mAh
Runtime	90-100 min
Charging	120 min
Motor	030
Modes	Vibration 3 speed + 4 frequency change + pull 5 speed

B897

Compact Suction Massager



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Silicone + ABS
Size	70 × 70mm
Function	suction
Modes	7 suction modes
Motor	linear motor

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B950

Cat-Kiss Suction Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	100 × 35 mm
Weight	69g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 100 × 42 × 77 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B955

Seal Suction Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	120 × 40 mm
Weight	105g
Controls	Mini-program control, 10 vibration + 10 suction patterns
Runtime	More than 50 min
Charging	80 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 125 × 42 × 110 mm
104 units/carton (not MOQ)
Carton: 45 × 41 × 39 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B956

Rabbit Suction Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	113 × 25 mm
Weight	112.7g
Controls	Mini-program control, 10 vibration + 10 suction patterns
Runtime	More than 50 min
Charging	80 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 90 × 140 × 50 mm
104 units/carton (not MOQ)
Carton: 45 × 41 × 39 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B957

Fox Suction Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	116 × 28 mm
Weight	82.8g
Controls	Mini-program control, 10 vibration + 10 suction patterns
Runtime	More than 50 min
Charging	80 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 90 × 115 × 42 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B958

Seahorse Electro-Suction Mini Vibe



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	overall length 220 main unit width 33 egg width 25 mm
Weight	72g
Controls	Mini-program control, 10 vibration + 10 suction patterns + electrostimulation
Runtime	More than 50 min
Charging	80 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 125 × 110 × 41 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B858

Curved Flexible Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	155.8 × 43.6mm
Weight	73g (without USB cable)
Waterproof	IPX7
Battery	300mAh
Runtime	high speed 60 min, low speed 90 min
Charging	60 min
Modes	3 speeds + 5 modes
Controls	Pin charging
Frequency	8000 RPM

B861

Dual-Head Flexible Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	25.9 × 134.6mm
Weight	68g
Waterproof	IPX7
Maximum noise	≤ 50 dB
Runtime	80 min (High Speed); 100 min (Low Speed)
Charging	60 min
Motor	030
Modes	3 speeds + 7modes
Controls	Long press 2seconds, ON/OFF, short press switch different mode.

B862

Rounded Flexible Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check


Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	34.5 × 125.4mm
Weight	93.7g
Waterproof	IPX7
Battery	230mAh
Runtime	80 min at high speed, 100 min at low speed
Charging	60 min
Motor	030
Modes	3speeds + 7 vibration modes
Controls	Long press 2 seconds, ON/OFF short press switch different mode.

B863

Lunar G-Spot Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Version reconciliation is required for runtime: supplied documents conflict. Confirm these details for the current sample before ordering.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	178.4 × 36.7mm
Weight	132g (excluding USB charging cable)
Waterproof	IPX7
Charging	120 min
Modes	3 speeds + 5 modes
Controls	Press for 2 seconds to turn on/off, short press to switch between different vibration modes
Frequency	7000 RPB

B869

GiGi Candy G-Spot Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	137 × 38 × 50mm
Weight	Single rod 68g; three heads 58g (excluding USB charging cable)
Waterproof	IPX6
Runtime	High speed (50 min) Low speed (100 min)
Modes	3 speeds + 7 vibration modes
Controls	Power switch key + Function frequency adjustment key
Frequency	9000 RPMB

B871

Cosmetic Pen Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Silicone + ABS + PBT
Size	37 × 205mm
Color	Green / Pink
Maximum noise	< 60 dB
Charging	USB charging
Function	10 vibration modes

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B872

LCD Set G-Spot Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	170 × Ø39 × Ø33mm
Battery	700mAh lithium
Runtime	approx. 1.5h
Charging	approx. 2h
Function	LED display, 4 levels + 10 modes

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B873

Rose Finger G-Spot Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Silicone + ABS
Waterproof	IPX5
Battery	350mAh
Runtime	approx. 60 min
Charging	magnetic 5V
Function	vibration + motion, 10 modes

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B874

Curved APP G-Spot Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Dual-color full silicone
Waterproof	IPX6
Battery	350mAh
Runtime	>60 min
Charging	magnetic USB
Function	9 modes + APP control

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B875

Stone Flower G-Spot Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	215.4 × 56 × 46mm
Weight	246g (without USB)
Waterproof	IPX7
Maximum noise	< 60 dB
Battery	701230 (230mAh)
Runtime	50-100 min
Charging	90 min
Modes	5 Pull the trigger + 3 speed + 7 frequency variable

B876

Cat-Ear G-Spot Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	205.2 × 39.4mm
Weight	160g
Waterproof	IPX7
Battery	30mAh
Runtime	60 min at high speed, 90 min at low speed
Charging	60 min
Motor	N20
Modes	5 speed rotation, 3 vibration speeds, 7 vibration frequency changes

B877

Flexible Dual-Tip Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	212.3 × 31.2 mm
Weight	213g
Waterproof	IPX7
Battery	240mAh
Runtime	80 min at high speed, 100 min at low speed
Charging	60 min
Modes	Two-headed10speed
Controls	Long press 2 seconds, ON/OFF, short press switch different mode.

B880

Slim Accent Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	205 × 53 × 20mm
Weight	98.6g (without USB)
Waterproof	IPX7
Maximum noise	< 60 dB
Battery	701250 (400mAh)
Runtime	80-120 min
Charging	90 min
Modes	3 speed + 7 frequency variable

B882

Slim G-Spot Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	157.1 × 35.4mm
Weight	197g (without USB)
Waterproof	IPX7
Maximum noise	< 50 dB
Battery	500mAh
Runtime	Highest speed 60 min; lowest 120 min
Charging	120 min
Motor	130 + N27
Modes	5 speeds + 5 vibration modes

B883

High-Speed G-Spot Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	182 × 42.4mm
Weight	165g (excluding USB charging cable)
Waterproof	IPX7
Battery	500mAh
Runtime	High speed (60 min) Low speed (90 min)
Motor	130
Modes	3 speed settings + 7 vibration modes + one-click climax
Frequency	6000 RPM

B884

Classic G-Spot Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check


Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	165 × 31mm
Weight	85g (excluding USB charging cable)
Waterproof	IPX7
Battery	300mAh
Runtime	High speed (60 min) Low speed (90 min)
Charging	120 min
Modes	3 speeds + 5 variable frequencies
Controls	Press for 2 seconds to turn on/off Control independently by separate buttons for each motor
Frequency	8000 RPM

B885

Curved G-Spot Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Version reconciliation is required for runtime and charging: supplied documents conflict. Confirm these details for the current sample before ordering.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	93.9mm × 70.8mm × 35.4mm
Weight	70.5g (excluding USB charging cable)
Waterproof	IPX7
Battery	300mAh
Motor	N20
Modes	2 speed settings + 8 frequency variations
Controls	Long press for on/off; Short press for frequency adjustment
Frequency	11,000 RPM

B886

Golden G-Spot Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	79.3 × 53.5 × 29.8
Weight	78g (excluding USB charging cable)
Waterproof	IPX7
Battery	240mAh 751524
Runtime	High speed (50-60 min) Low speed (90-100 min)
Charging	Approximately 100 min
Motor	2 × M20 tungsten steel R4.2 × 3.5
Modes	4 linear vibrations + 6 alternating vibrations
Controls	Press for 1.5 seconds to turn on/off; Press briefly for frequency adjustment
Frequency	9000 RPM

B888

Jumping Rabbit I G-Spot Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone and ABS
Size	207 × 45 × 80 mm
Weight	232g (without USB)
Waterproof	IPX7
Maximum noise	< 50 dB
Runtime	60 min (High Speed); 240 min (Low Speed)
Modes	3 rotation speeds + 5 modes + infinitely variable speeds
Frequency	7000 RPM

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B889

Jumping Rabbit V G-Spot Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone and ABS
Size	207 × 45 × 73 mm
Weight	228g (without USB)
Waterproof	IPX7
Maximum noise	< 50 dB
Runtime	60 min (High Speed); 240 min (Low Speed)
Modes	3 rotation speeds + 5 modes + infinitely variable speeds
Frequency	7000 RPM

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B890

Rabbit G-Spot Wand



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	222 × 28 mm
Weight	259g (excluding USB charging cable)
Waterproof	IPX7
Runtime	High speed (50 min) Low speed (180 min)
Modes	5 swaying modes + 3 speed settings + 7 variable speeds; 3 working motors
Controls	The up and down buttons control swaying and vibration respectively. Press and hold for 2 seconds to turn on or off. Tap to switch modes.
Frequency	8000 RPM

B894

Telescopic G-Spot Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Silicone + ABS
Size	246.58 × 87.9 × 44.9mm
Weight	approx. 273g
Color	red
Battery	950mAh
Charging	magnetic, approx. 120 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B896

Wiggling Motion Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Silicone + ABS
Size	145 × 22 × 42mm
Function	wiggling and vibration
Modes	10 modes

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B901

Heated Dual-Point Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Silicone + ABS
Size	36 × 230mm
Modes	10 vibration modes
Function	heating

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B932

Mid-Size AV Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	150 × 35 mm
Weight	94.6g
Controls	8 speeds + 20 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 170 × 61 × 45 mm
120 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B937

Precision Point Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	170 insertable width : 20 mm
Weight	53g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 180 × 42 × 55 mm

Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B938

Compact ABS Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	ABS
Size	165 × 32 mm
Weight	83.8g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 180 × 42 × 55 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B939

Dual-Motor AV Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	205 × 43 mm
Weight	155g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 260 × 55 × 90 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B941

Mona AV Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	250 × 45 mm
Weight	156g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 260 × 55 × 90 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B942

LCD AV Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	27.7 × 4.8 cm
Weight	169.1g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 300 × 78 × 63 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B943

Rotating-Bead Motion Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	275 × 85 × 60 mm
Weight	311g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 260 × 55 × 90 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B944

Tongue-Action Vibrating Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	235 × 35 insertable 125 mm
Weight	244g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 260 × 55 × 90 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B945

Suma AV Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	200 × 45 mm
Weight	118g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

White box: 214 × 55 × 45 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B908

Remote Thrusting Realistic Massager



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	210 × 35 (insertable 150) mm
Weight	340.4g
Controls	Wireless remote, 3 speeds + 9 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B909

Remote Realistic Massager 002 — Small



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	205 × 37 (insertable 150) mm
Weight	405.4g
Controls	Wireless remote, 3 speeds + 9 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B910

Remote Realistic Massager 002 — Large



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	225 × 42 (insertable 170) mm
Weight	469.7g
Controls	Wireless remote, 3 speeds + 9 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B911

Remote Realistic Massager 003 — Small



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	200 × 35 (insertable 150) mm
Weight	328.5g
Controls	Wireless remote, 3 speeds + 9 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm

30 units/carton (not MOQ)

Carton: 45 × 41 × 36 cm

Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B912

Remote Realistic Massager 003 — Large



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	220 × 40 (insertable 160) mm
Weight	422.5g
Controls	Wireless remote, 3 speeds + 9 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference


Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B913

Manual Silicone Realistic Massager 004 — Small



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	215 × 35 (insertable 135) mm
Weight	397.8g
Controls	Manual, non-powered

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference


Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B914

Manual Silicone Realistic Massager 004 — Large



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	240 × 37 (insertable 150) mm
Weight	540g
Controls	Manual, non-powered

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference


Printed retail box: 250 × 132 × 90 mm
17 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B915

Remote Realistic Massager 006



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	210 × 35 (insertable 155) mm
Weight	371.2g
Controls	Wireless remote, 3 speeds + 9 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B916

Remote Realistic Massager 013



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	225 × 35 (insertable 160) mm
Weight	388g
Controls	Wireless remote, 3 speeds + 9 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B917

Remote Realistic Massager 015



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	215 × 40 (insertable 150) mm
Weight	457g
Controls	Wireless remote, 3 speeds + 9 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B918

Remote Realistic Massager 025



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	210 × 35 (insertable 145) mm
Weight	468g
Controls	Wireless remote, 3 speeds + 9 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B919

Remote Realistic Massager 029



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	220 × 42 (insertable 160) mm
Weight	424.6g
Controls	Wireless remote, 3 speeds + 9 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B920

Manual Silicone Realistic Massager 041 — Small



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	195 × 33 (insertable 140) mm
Weight	253.8g
Controls	Manual, non-powered

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B921

Manual Silicone Realistic Massager 030 — Medium



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	210 × 35 (insertable 150) mm
Weight	300g
Controls	Manual, non-powered

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B922

Manual Silicone Realistic Massager 041 — Large



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	220 × 37 (insertable 160) mm
Weight	369g
Controls	Manual, non-powered

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference


Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B923

Remote Realistic Massager 033



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	220 × 35 (insertable 160) mm
Weight	474.6g
Controls	Wireless remote, 3 speeds + 9 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm

30 units/carton (not MOQ)

Carton: 45 × 41 × 36 cm

Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B924

Manual Silicone Realistic Massager 037



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	210 × 35 (insertable 150) mm
Weight	338.2g
Controls	Manual, non-powered

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B925

Manual Silicone Realistic Massager 038



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	175 × 32 (insertable 120) mm
Weight	247g
Controls	Manual, non-powered

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference


Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B926

Manual Silicone Realistic Massager 039



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	217 × 35 (insertable 150) mm
Weight	371.2g
Controls	Manual, non-powered

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference


Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B927

Manual Silicone Realistic Massager 040



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	210 × 35 (insertable 145) mm
Weight	387.3g
Controls	Manual, non-powered

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference


Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B928

Manual Silicone Realistic Massager 042



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	170 × 27 (insertable 115) mm
Weight	166.9g
Controls	Manual, non-powered

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm
30 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B929

Remote Realistic Massager 050



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	208 × 38 (insertable 150) mm
Weight	461g
Controls	Wireless remote, 3 speeds + 9 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 220 × 105 × 75 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B940

Realistic Vibrating Wand



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	235 × 40 mm
Weight	190g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 227 × 86 × 41 mm
72 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B892

Mirage Male Masturbator



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	170 × 85 × 36.5mm
Weight	146.5g (excluding USB charging cable)
Waterproof	IPX7 level
Runtime	High speed (20 min); Low speed (30 min)
Modes	5 speed levels + 5 variable speed settings

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B893

Remote Male Stroker



Source catalog image

PUBLISHED SPECIFICATIONS

Battery	27A 12V
Runtime	45-90 min
Charging	1.5-2h
Function	remote mode switching

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

The source lists a 27A 12V battery alongside charging information without identifying device versus remote. Confirm both power configurations before ordering.

B898

Rotating Thrusting Male Stroker



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Silicone + ABS
Size	275 × 85mm
Thrusting	4 modes
Rotation	7 modes

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B899

Remote Male Massager



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Silicone + ABS
Size	245 × 36mm
Modes	10 vibration modes
Control	remote control

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B902

Heated Tongue-Action Male Massager



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Silicone + ABS
Size	290 × 154 × 40mm
Vibration	8 modes
Thrusting	8 modes
Tongue action	8 modes
Function	heating

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B903

Multi-Function Male Stroker



Source catalog image

PUBLISHED SPECIFICATIONS

Material	ABS + TPE
Size	325 × 91mm
Vibration	7 modes
Thrusting	7 modes
Rotation	3 modes
Function	heating

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B907

Remote Multi-Action Male Massager



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Silicone + ABS
Size	134 × 48 × 113mm
Vibration	10 modes
Suction	10 modes
Tongue action	10 modes
Control	remote control

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging


Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B930

Silicone Wellness Sleeve 001



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	125 × 40 mm
Weight	69.4g
Controls	Manual, non-powered

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference


Printed retail box: 182 × 55 × 42 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B931

Vibrating Silicone Wellness Sleeve 001



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	230 × 45 mm
Weight	159.6g
Controls	9 vibration patterns, DC charging
Runtime	60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 165 × 70 × 70 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B960

Rainbow Male Stroker



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	160 × 65 mm
Weight	195.9g
Controls	Manual, non-powered

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 165 × 70 × 70 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B961

Dual-Head Male Stroker



Source catalog image

PUBLISHED SPECIFICATIONS

Material	ABS
Size	210 × 72 mm
Weight	557g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 250 × 130 × 90 mm
17 units/carton (not MOQ)
Carton: 45 × 41 × 36 cm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B962

First-Generation Male Stroker



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	240 × 80 mm
Weight	648.5g
Controls	3 speeds + 9 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 250 × 130 × 90 mm
17 units/carton (not MOQ)
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B963

Second-Generation Male Stroker



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	250 × 85 mm
Weight	689g
Controls	3 speeds + 9 patterns
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 250 × 130 × 90 mm
17 units/carton (not MOQ)
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B964

Astronaut Male Stroker



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	220 × 80 mm
Weight	552.5g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 230 × 90 × 90 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B842

Prostate Massager



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	103 × 38.3mm
Weight	96g (excluding USB charging cable)
Waterproof	IPX7
Battery	200mAh
Runtime	High speed 60 min, Low speed 80 min
Charging	60 min
Modes	3 speeds + 7 modes
Controls	Pin-type charging
Frequency	8000 RPM

B846

Soft Silicone Plug



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	24.98 × 109 mm
Weight	57.7g
Waterproof	IPX7
Battery	230mAh
Runtime	80 min at high speed, 100 min at low speed
Charging	60 min
Motor	030
Modes	3speeds + 7 vibration modes
Controls	Long press 2 seconds, ON/OFF, short press switch different mode.

B847

Lotus Silicone Plug



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	90.2 × 39.7mm
Weight	50g (without USB)
Waterproof	IPX7
Maximum noise	< 55 dB
Battery	120mAh
Runtime	60-100 min
Charging	60 min
Motor	N20
Modes	3speeds + 5 vibration modes
Controls	one motor
Frequency	8000 RPM

B848

Fulu Silicone Plug



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	84.9 × 130mm
Weight	110 g
Waterproof	IPX7

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B849

Flower Silicone Plug



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	72.8 × 103 mm
Weight	37.6 g
Waterproof	IPX7

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B850

Scorpion Silicone Plug



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	87.8 × 102.1mm
Weight	72.2g
Waterproof	IPX7

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B870

Tadpole Silicone Plug



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone + ABS
Size	228.4 × 32.3mm
Weight	91.7g
Waterproof	IPX5
Battery	300mAh 602030
Runtime	55 min
Charging	100 min
Modes	Double motor vibration, 3 speed + 7 frequency

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging


Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B891

Long-Tail Prostate Massager



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	125.2 × 40.1 × 179.2mm
Weight	185g (excluding USB charging cable)
Waterproof	IPX7
Battery	400mAh
Runtime	High speed 60 min; Low speed 120 min
Charging	2 h
Motor	N20
Modes	5 speed settings + 5 frequency variations
Frequency	8000 RPM

B906

APP-Remote Prostate Massager



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Silicone + ABS
Size	216 × 94mm
Modes	9 vibration modes
Control	remote and APP control

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B952

Ring-Handle Anal Massager



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	143 × 42 mm
Weight	60.4g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference


Printed retail box: 180 × 42 × 55 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B953

Ring-Handle Beaded Anal Massager



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	185 × 42 mm
Weight	56g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 180 × 42 × 55 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B832

Textured Silicone Ring



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	59 × 36mm
Weight	31g (excluding USB charging cable)
Waterproof	IPX7
Battery	100mAh
Runtime	High speed (50 min) Low speed (90 min)
Charging	2 h
Modes	3 speed levels + 4 frequency variations
Frequency	8000 RPM

B833

HouYi Silicone Ring



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	106 × 60.8mm
Weight	81g (excluding USB charging cable)
Waterproof	IPX7
Charging	120 min
Modes	3 speed settings + 5 variable speeds
Frequency	8000 RPB

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B834

Cherry Lips Silicone Ring



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Liquid silicone
Size	143.5 × 64 × 24mm
Weight	53g
Waterproof	IPX7
Battery	230mAh
Runtime	High speed 50 min Low speed 90 min
Charging	90 min
Modes	3 speed levels + 7 variable frequencies

B954

Vibrating Silicone Ring



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	170 × 51 inner width 35 mm
Weight	118.5g
Controls	Multi-speed vibration
Runtime	More than 60 min
Charging	90 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 135 × 104 × 48 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B965

Dual Nipple-Clamp Set



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	clamp 75 × 37 egg 55 × 25 mm
Weight	100g
Controls	3 speeds + 7 patterns
Runtime	More than 50 min
Charging	80 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 125 × 110 × 41 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B966

Triple Nipple-Clamp Set



Source catalog image

PUBLISHED SPECIFICATIONS

Material	Solid silicone + ABS
Size	clamp 75 × 37 egg 55 × 25 mm
Weight	127g
Controls	3 speeds + 7 patterns
Runtime	More than 50 min
Charging	80 min

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Supplier packing reference

Printed retail box: 125 × 110 × 41 mm
Reconfirm pack configuration before ordering.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

B830

Compact Body Shaver



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Plastic
Size	75 × 43 × 30mm
Weight	72g (excluding USB charging cable)
Waterproof	IPX1
Maximum noise	< 50 dB
Runtime	35 min
Charging	90 min
Modes	Single speed, single frequency
Controls	5V-1A; Type-C charger; Press the power button for 1 second to turn on the device

B831

Rounded Body Shaver



Source catalog image

Before requesting a quotation

Include model, quantity, destination and required changes. Ask for the current sample and available additional views; an unlisted detail is not a confirmed product feature.

Colors, logo & packaging

Confirm feasibility, pack contents and minimum quantity for changes. Approve product and packaging samples against the written order specification.

Model and version check

Published supplier specifications can vary by version. Ask for current model-specific instructions and test documents before ordering. This sheet is for range selection, not a compliance declaration or final order specification.

PUBLISHED SPECIFICATIONS

Material	Plastic
Size	60 × 37 × 37 mm
Weight	110 g (excluding USB charging cable)
Waterproof	IPX1
Maximum noise	< 50 dB
Runtime	Approximately 45 min
Charging	90 min
Modes	Single speed; single frequency
Power input	5 V / 1 A
Charging port	USB Type-C
Controls	Press and hold to turn on; tap to turn off.